

ATTUNE

Seeing Clearly. Designed with a focus on minimal aesthetic and greater flexibility, Attune achieves a high end look without the high end price. A 1-1/2" H and 1-1/4" W glass channel profile creates a clean, sophisticated glass front customized for your space.

A Receptive Solution. More system options available and tailored to your needs. Choose from sliding doors and swing doors in frameless glass, aluminum framed glass and wood door leaf options. Sliding doors include concealed hardware with tail and drop seals for less sound transmission. Conforming to your project needs, Attune can accept any panel material ranging from 3/8" to 5/8" thickness.

In Harmony. Attune will easily integrate with Tranquil's existing product lines – Adapt, Access and Seclusion. A well orchestrated field-fit system, with engineered improvements for ease of installation, a reduced part count means fewer cuts on site. Side loading glass and sliding doors facilitates faster installation and greater cost savings.

TRANQUIL[®]

528 Pioneer Parkway Clare, MI 48617
p 800.631.0212 | f 989.386.3500

www.tranquilsystems.com





ATTUNE

Seeing Clearly. Designed with a focus on minimal aesthetic and greater flexibility, Attune achieves a high end look without the high end price. A 1-1/2" H and 1-1/4" W glass channel profile creates a clean, sophisticated glass front customized for your space.

A Receptive Solution. More system options available and tailored to your needs. Choose from sliding doors and swing doors in frameless glass, aluminum framed glass and wood door leaf options. Sliding doors include concealed hardware with tail and drop seals for less sound transmission. Conforming to your project needs, Attune can accept any panel material ranging from 3/8" to 5/8" thickness.

In Harmony. Attune will easily integrate with Tranquil's existing product lines – Adapt, Access and Seclusion. A well orchestrated field-fit system, with engineered improvements for ease of installation, a reduced part count means fewer cuts on site. Side loading glass and sliding doors facilitates faster installation and greater cost savings.

TRANQUIL[®]

DETAILS AND DIMENSIONS

Base Assembly

Aluminum glass channel and aluminum tip-in trim.
Side loaded glass with vertical adjustment blocks.
Floor anchoring required.

Ceiling Assembly

Aluminum glass channel. Header attachment to ceiling grid, finished drywall headers, or Tranquil 5x5 post system.

Glass Connection Options

- Frameless glass with clear partition joint tape capable of 180°, 90°, 135°, and tee connections.

System Dimensions

- Standard ceiling height: Up to 10'-0"
- Vertical adjustment: +/- 1/2"
- Horizontal adjustment: +/- 1/2"
- Glass channel at floor and sides: 1-1/4"W x 1-1/2"H
- Glass channel header (fixed glass): 1-1/4"W x 2-1/2"H
- Door frame: 3"W x 2-1/2"H at header, 3"W x 1-1/2"H for vertical door studs, inswing and outswing
- Sliding door header: 3-5/8"W x 2-1/2"H, 81-1/2" minimum track length or continuous up to 10' length

Seismic Requirements

Optional project specific seismic anchors are available. Calculations can be coordinated by Tranquil and completed by a third-party engineering firm to meet all applicable codes.

Door Options

- Frameless 1/2" glass sliding
- Aluminum framed glass sliding
- Wood sliding
- Frameless 1/2" glass pivot
- Aluminum framed glass swing
- Wood swing

Hardware Options

- Sliding door: Locking/non-locking ladder pulls, soft open/close
- Swing/pivot door: Cylindrical lockset, mortise lockset, locking/non-locking ladder pulls, electric strike
- Door frame features adjustable hinge and strike heights.
- Auto drop seal options

MATERIALS + FINISHES

Aluminum Extrusions

Glass channel, trim, door frame, and sliding door track are all architectural grade aluminum alloys.

Trim Finishes

- Clear anodized
- Powder coat: Pure white, matte black, architectural bronze, coastal blue
- Custom paint colors available

Panel Options

- Frameless glass: standard tempered glass or laminated glass - 3/8" to 5/8" thick (minimum thickness determined by wall height)
- Solid panels: laminated 1/2" MDF panel, laminate selection per manufacturer's standard range
- Markerboard panels: laminated 1/2" MDF panel, magnetic option available
- Decorative glass panels: Backpainted glass, printed glass, switched glass

TRANQUIL[®]

528 Pioneer Parkway Clare, MI 48617
p 800.631.0212 | f 989.386.3500

www.tranquilsystems.com